

Sommerfeld

PORTABLE ROADWAYS



- PROVIDE ACCESS OVER SOFT AND UNSTABLE GROUND
- PROTECT UNDERGROUND SERVICES AND FOUNDATIONS
- PROTECT LAID SURFACES AND FINISHES
- CREATE TEMPORARY HARD STANDING
- PROVIDE TEMPORARY PATHWAY SOLUTIONS FOR DISABLED ACCESS



FLEXBOARDS KEEP THINGS MOVING

Sommerfeld

Hire from Sommerfeld and you're hiring a quality product from a company that has amassed years of experience at solving the problems encountered with transport and construction work.



Sommerfeld Flexboards protect underground services, tarmac paths and roadways, parkland, playing fields and cultivated areas,

as well as providing access to show grounds, private functions and opening up areas to those confined to wheelchairs.


MAINTAINING ACCESS THE COST EFFECTIVE SOLUTION IN DIFFICULT TERRAIN

SOMMERFELD FLEXBOARD

Constructed from tough hardwood material

Banded by mild steel bands for added strength

Bars looped at each end allowing a dowel to be inserted to flexible connections



- SUPPORT TRAFFIC UP TO 32 TONNES
- FAST DEPLOYMENT, EASY DISMANTLING
- FLEXIBLE CONNECTION OF SEGMENTS
- FACILITY TO SECURE IN SOFT GROUND

PROVIDING PROTECTION AVOIDING COSTLY PROJECT DELAYS

Don't be caught where men, machinery and heavy or awkward vehicles have to cross unstable or soft ground, tarmaced areas or landscaped parkland. Avoid this risk of damaging existing surfaces causing serious and costly delays. Sommerfeld Flexboard form safe and economic


temporary roadways in problem conditions.

Flexible, economical and safe.





Applications for Sommerfeld Flexboard are endless. In addition to providing temporary roadway solutions they can also be used to establish a firm and safe working platform for contractors, plant and equipment.



CREATING HARD STANDINGS

TEMPORARY WORKING, PARKING, STORAGE AREAS



- SPREAD WEIGHT AND PROTECT EXISTING SERVICES
- PROVIDE SAFE AND SECURE WORKING PLATFORM
- FLOORING FOR TEMPORARY STRUCTURES
- TEMPORARY PARKING FOR EVENTS AND SITES

ENABLING MOBILITY

EASILY LOCATED PATHWAYS

Sommerfeld have developed a unique Portable Pathway System to enable wheelchair users and those with mobility problems to travel smoothly over sand, shingle or uneven surfaces. The pathways are easy to install and easy to relocate and can be moved to overcome shifting sands and taken up for winter storage. Sommerfeld have already provided access solutions for the disabled at several key coastal locations throughout the UK.

- ACCESS FOR WHEEL CHAIRS AND MOBILITY SCOOTERS
- SAFETY GUARD RAILS – NATURAL SLIP RESISTANT SURFACE
- EASY LAID AND RELOCATED – VANDAL RESISTANT



Approved by the Disability Advice Welfare Network.

HIRE

Sommerfeld Flexboards are available for hire at competitive rates or in the case of mobility access, to purchase. Please allow 48 hours for delivery. Full prices available on application.

SPECIFICATIONS

Constructed from the toughest hardwood boards, 50 mm approx thickness (heavy duty) which are joined by two transverse mild steel bands. The bands are looped at each end, thus allowing a dowel to be inserted through the loop to adjacent roadways to form a flexible connection. Dowels are pierced at each end so that pickets can be hammered through them into the ground. The fact that each roadway consists of several (approx 14) separate boards plus the natural elasticity of the steel gives the roadways sufficient flexibility to follow the contours of difficult ground while remaining a firm and continuous track.

The Portable Pathways for the disabled create a 1.06 m approx wide pathway and is constructed from high quality English oak, strengthened and linked by a galvanised metal band. The weight is approximately 102 kg. Heavy enough not to be removed by vandals, yet can easily be relocated by local authority personnel. These special Pathways can be fitted with guard rails on both sides and have a non-slip surface.

DIMENSIONS

Specifications (approximate)

2-metre heavy duty 15 to 32 tonnes

Width	1.06 m	(3'6")
Length	2 m	(6'6")
Thickness	50 mm	(2")
Average weight	101.6 kg	(2 cwt)

FREE
quotation without obligation –
phone now!

Sommerfeld

Sommerfeld Flexboard Limited
New Works Lane, Arleston Hill, Wellington,
Telford, Shropshire TF1 2JY
Tel: 01952 503737. Fax: 01952 630132
E-mail: info@sommerfeld.co.uk
Website: www.sommerfeld.co.uk